

# Product Reference Guide

## Glass

### D25 Bifocals

66mm D25 (White, PhotoGray Extra®, PhotoBrown Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
0.50	0.50	1060.000	0.295	-6.00	-88.33	10.3	16.2
2.00	2.00	265.000	1.182	-6.00	-88.33	8.5	12.8
4.25	4.15	127.711	2.471	-6.00	-88.33	7.3	9.4
6.25	6.20	85.484	3.738	-6.00	-88.33	6.0	5.8
8.25	8.17	64.871	5.011	-6.00	-88.33	7.7	5.1
10.25	10.09	52.527	6.331	-6.00	-88.33	9.9	4.5

Base Curve	White	PGX	PBX
0.50	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
2.00	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
4.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
6.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
8.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
10.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### D25 Bifocals

71mm D25 (White, PhotoGray Extra®, PhotoBrown Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
Plano	0.00	0.000	0.000	-6.00	-88.33	10.0	17.5
2.00	2.00	265.000	1.182	-6.00	-88.33	8.2	13.3
4.25	4.15	127.711	2.471	-6.00	-88.33	7.5	9.9
6.25	6.20	85.484	3.738	-6.00	-88.33	6.6	6.3
7.25	7.19	73.713	4.369	-6.00	-88.33	7.8	6.1
8.25	8.17	64.871	5.011	-6.00	-88.33	9.5	6.3
10.25	10.09	52.527	6.331	-6.00	-88.33	11.7	5.3

Base Curve	White	PGX	PBX
Plano	+1.00 to +3.00	+1.00 to +3.00	-
2.00	+1.00 to +3.50	+1.00 to +3.50	+1.00 to +3.00
4.25	+0.50 to +3.50	+0.50 to +3.50	+0.50 to +3.50
6.25	+0.50 to +3.50	+0.50 to +3.50	+0.50 to +3.50
7.25	+0.50 to +3.00	-	-
8.25	+1.00 to +3.50	+1.00 to +3.50	+1.00 to +3.50
10.25	+1.00 to +3.50	+1.00 to +3.50	+1.00 to +3.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### D28 Bifocals

66mm D28 (White, PhotoGray Extra®, PhotoBrown Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-6.00	-88.33	7.3	9.4
6.25	6.20	85.484	3.738	-6.00	-88.33	6.0	5.8
8.25	8.17	64.871	5.011	-6.00	-88.33	7.7	5.1

Base Curve	White	PGX	PBX
4.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
6.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
8.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### D28 Bifocals

71mm D28 (White, PhotoGray Extra®, PhotoBrown Extra®, Corning® Thin & Dark™ PhotoGray)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-6.00	-88.33	7.5	9.9
6.25	6.20	85.484	3.738	-6.00	-88.33	6.6	6.3
8.25	8.17	64.871	5.011	-6.00	-88.33	9.5	6.3

Base Curve	White	PGX	PBX	PGTD
4.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
6.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00
8.25	+1.00 to +3.00	+1.00 to +3.00	+1.00 to +3.00	-

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### D28 Bifocals

75mm D28 (White, PhotoGray Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-6.00	-88.33	8.0	10.7
6.25	6.20	85.484	3.738	-6.00	-88.33	7.0	6.7
8.25	8.17	64.871	5.011	-6.00	-88.33	10.7	7.1

Base Curve	White	PGX
4.25	+1.00 to +3.00	+1.00 to +3.00
6.25	+1.00 to +3.00	+1.00 to +3.00
8.25	-	+1.00 to +3.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### D35 Bifocals

66mm D35 (White, PhotoGray Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-6.00	-88.33	7.3	9.4
6.25	6.20	85.484	3.738	-6.00	-88.33	6.0	5.8
8.25	8.17	64.871	5.011	-6.00	-88.33	7.7	5.1

Base Curve	White	PGX
4.25	+1.00 to +3.00	+1.00 to +3.00
6.25	+1.00 to +3.00	+1.00 to +3.00
8.25	+1.00 to +3.00	+1.00 to +3.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### D35 Bifocals

71mm D35 (White, PhotoGray Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-6.00	-88.33	7.5	9.9
6.25	6.20	85.484	3.738	-6.00	-88.33	6.6	6.3
8.25	8.17	64.871	5.011	-6.00	-88.33	9.5	6.3

Base Curve	White	PGX
4.25	+1.00 to +3.00	+1.00 to +3.00
6.25	+1.00 to +3.00	+1.00 to +3.00
8.25	+1.00 to +3.00	+1.00 to +3.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information

# Product Reference Guide

## Glass

### CXL28 Curve Top Bifocals

71mm CXL28 (White UV Absorbing, PhotoGray Extra®, PhotoBrown Extra®)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-6.00	-88.33	7.5	9.9
6.25	6.20	85.484	3.738	-6.00	-88.33	6.6	6.3
8.25	8.17	64.871	5.011	-6.00	-88.33	9.5	6.3

Base Curve	UV White	PGX	PBX
4.25	+0.75 to +3.50	+0.75 to +3.50	+0.75 to +3.50
6.25	+0.50 to +4.00	+0.50 to +4.00	+0.50 to +4.00
8.25	+0.75 to +4.00	+0.75 to +4.00	+0.75 to +4.00

\*Utilized for power calculation only, not for thickness calculation

[Click Here](#) for Additional Multifocal Technical Information